
Anatomy of a Vector








DNA sequence to which RNA polymerase binds and initiates transcription. The promoter determines the polarity of the transcript by specifying which strand will be transcribed.

- Bacterial promoters consist of -35 and -10 (relative to the transcriptional start) consensus sequences which are bound by a specific sigma factor and RNA polymerase.
- Eukaryotic promoters are more complex. Most promoters utilized in expression vectors are transcribed by RNA polymerase II. General transcription factors (GTFs) first bind specific sequences near the transcriptional start and then recruit the binding of RNA polymerase II. In addition to these minimal promoter elements, small sequence elements are recognized specifically by modular DNA-binding / trans-activating proteins (e.g. AP-1, SP-1) which regulate the activity of a given promoter.
- Viral promoters serve the same function as bacterial or eukaryotic promoters and either provide a specific RNA polymerase in trans (bacteriophage T7) or recruit cellular factors and RNA polymerase (SV40, RSV, CMV). Viral promoters are often found in vectors because they are strong promoters.

Inducible elements



Stabilizing and optimizing elements



In prokaryotes, a termination elements help to keep the JA polymerase from falling off the DNA template, ensuring optimal transcript elongation during message synthesis. The resulting RNA can be polycistronic; more than one protein is translated from a single RNA molecule. Mini-cistrons are small open reading frames engineered upstream of the coding sequence of interest to encourage ribosomes to bind and efficiently translate the sequence of interest. A Shine-Dalgarno (ribosome binding site) sequence is required just upstream of an AUG (translational start) for efficient translation initiation.

• In eukaryotes, heterogeneous nuclear RNA (hnRNA) molecules, newly transcribed by RNA polymerase II are capped at the 5' terminus, spliced, and polyadenylated as they are processed into stable messenger RNA (mRNA) molecules. These modifications are important for transport and translation of most messages and add stability to the molecule. While eukaryotic translation typically initiates at the first (5' most) AUG, certain nucleotides (Kozak sequence) near an AUG can increase the translation initiation efficiency from that AUG.



Transcriptional termination sequences

- In prokaryotes, sequences known as transcriptional terminators signal the RNA polymerase to release the DNA template and stop transcription of the nascent RNA.
- In eukaryotes, RNA molecules are transcribed well beyond the end of the mature mRNA molecule. New transcripts are enzymatically cleaved and modified by the addition of 100-200 adenylic acid residues known as the poly-A tail. Polyadenylation consensus sequence is located about 10 to 30 bases upstream from the actual cleavage site.



Origin of DNA Replication

- DNA sequence which binds DNA polymerase and associated factors involved in the generation of an exact copy of the original molecule.
- In both prokaryotes and eukaryotes, replication occurs in a semi-conservative manner and proceeds from a replication fork. DNA polymerase synthesizes complementary DNA 5' to 3'.
- Some eukaryotic viral origins require specific nuclear antigens for replication in addition to the cellular replication machinery. Examples include the EBV oriP/EBNA-1 system and the SV40 origin/SV40 large T antigen system.



• Synthetic DNA sequence encoding six consecutive histidines which, when fused to the expressed protein, may be used for one-step purification of the recombinant protein by high affinity binding to a nickel column. An endopeptidase recognition sequence is engineered between the affinity tag and the protein of interest to allow subsequent removal of the leader peptide by digestion with Enterokinase.



Multiple cloning sites (MCS or Polylinker)



Synthetic DNA sequence encoding a series of restriction endonuclease recognition sites.
 These sites are engineered for convenient cloning of DNA into a vector at a specific position.

Selectable markers

Provide a means to select, for growth, only those cells which contain a vector. Such markers are of two types: drug resistance and auxotrophic. A drug resistance marker enables cells to detoxify an exogenously added drug that would otherwise kill the cell. Auxotrophic markers allow cells to synthesize an essential component (usually an amino acid) in media which lacks that essential component.

Common selectable markers with a brief description of their mode of action follow:

Prokaryotic

• Ampicillin: interferes with a terminal reaction in bacterial cell wall synthesis. The resistance gene (bla) encodes beta-lactamase which cleaves the beta-lactam ring of the antibiotic thus detoxifying it.

• Tetracycline: prevents bacterial protein synthesis by binding to the 30S ribosomal subunit. The resistance gene (tet) specifies a protein that modifies the bacterial membrane

and prevents transport of the antibiotic into the cell.

• Kanamycin: binds to the 70S ribosomes and causes misreading of messenger RNA. The resistant gene (Km) modifies the antibiotic and prevents interaction with the ribosome.

- Streptomycin: binds to the 30S ribosomal subunit, causing misreading of messenger RNA. The resistance gene (Sm) modifies the antibiotic and prevents interaction with the ribosome.
- Zeocin: this new bleomycin-family antibiotic interchelates into the DNA and cleaves it. The Zeocin resistance gene encodes a 13,665 dalton protein. This protein confers resistance to Zeocin by binding to the antibiotic and preventing it from binding DNA. Zeocin is effective on most aerobic cells and can be used for selection in mammalian cell lines, yeast, and bacteria.

Eukaryotic

• Hygromycin: a aminocyclitol that inhibits protein synthesis by disrupting ribosome translocation and promoting mistranslation. The resistance gene (hph) detoxifies hygromycin -B- phosphorylation.

 Histidinol: cytotoxic to mammalian cells by inhibiting histidyl-tRNA synthesis in histidine free media. The resistance gene (hisD) product inactivates histidinol toxicity by

converting it to the essential amino acid, histidine.

- Neomycin (G418): blocks protein synthesis by interfering with ribosomal functions. The resistance gene ADH encodes amino glycoside phosphotransferase which detoxifies G418.
- Uracil: Laboratory yeast strains carrying mutations gene which encodes orotidine -5'phosphate decarboxylase, an enzyme essential for uracil biosynthesis, are unable to grow
 in the absence of exogenous uracil. A copy of the wild-type gene (ura4+, S. pombe or
 URA3 S. cerevisiae) carried on the vector will complement this defect in trans.

• Zeocin: this new bleomycin-family antibiotic interchelates into the DNA and cleaves it. The Zeocin resistance gene encodes a 13,665 dalton protein. This protein confers resistance to Zeocin by binding to the antibiotic and preventing it from binding DNA. Zeocin is effective on most aerobic cells and can be used for selection in mammalian cell lines, yeast, and bacteria.

Request a free Mammalian Expression Vector Poster		
First and Last Name:		
E-mail address:		
Institution: Department: Mail Code: Street: City, State Zip: Country:		Our full color poster is packed with useful information on mammalian expression vectors!
Location:	North, Central or South America Europe Pacific Rim countries	
Click once to submit:	Send my free Poster 1	



Complete Plasmid Vectors

- All Complete Sequences 120 kb!
 - o Complete Sequences Starting 0-9, A-PD 28 kb!
 - o Complete Sequences Starting PE-PK 35 kb!
 o Complete Sequences Starting PL-PS 38 kb!
 o Complete Sequences Starting PT-Z 22 kb!

Incomplete Plasmid Vectors

- All Incomplete Sequences 195 kb!
 - o Incomplete Sequences Starting 0-9, A-PD 55 kb!
 - o Incomplete Sequences Starting PE-PK 55 kb!
 - o Incomplete Sequences Starting PL-PS 65 kb!
 - o Incomplete Sequences Starting PT-Z 55 kb!

All Plasmid Vectors

• All Sequences 310 kb!



The first first over the first first



Complete Plasmid Vectors

- All Complete Sequences 120 kb!
 - o Complete Sequences Starting 0-9,A-PD 28 kb!

 - o Complete Sequences Starting PE-PK 35 kb!
 o Complete Sequences Starting PL-PS 38 kb!
 o Complete Sequences Starting PT-Z 22 kb!

Incomplete Plasmid Vectors


- All Incomplete Sequences 195 kb!
 - o Incomplete Sequences Starting 0-9, A-PD 55 kb!
 - o Incomplete Sequences Starting PE-PK 55 kb!
 - o Incomplete Sequences Starting PL-PS 65 kb!
 - o Incomplete Sequences Starting PT-Z 55 kb!

• All Sequences 310 kb!




١...[fŲ Ö

Phagemid Vectors



- E. coli phagemid vector BSB+ complete..
- E. coli phagemid vector pAcUW31 complete..
- E. coli phagemid vector pAD3 complete..
- E. coli phagemid vector pALTER-1 (formerly pSELECT-1) complete..
- Cloning vector pALTER[R]-Ex1, complete sequence.
- Cloning vector pALTER[R]-Ex2, complete sequence.
- E. coli phagemid vector pAMP1 complete..
- E. coli phagemid vector pAMP10 complete..
- E. coli phagemid vector pAMP18 complete..
- E. coli phagemid vector pAMP19 complete..
- E. coli phagemid vector pAMP2 complete..
- C. elegans phagemid vector pAST18a complete..
- C. elegans phagemid vector pAST18b complete..
- C. elegans phagemid vector pAST19a complete..
- C. elegans phagemid vector pAST19b complete..
- E. coli phagemid vector pAX4a- complete..
- E. coli phagemid vector pAX4a+ complete..
- E. coli phagemid vector pAX4b- complete..
- E. coli phagemid vector pAX4b+ complete..
- E. coli phagemid vector pAX4c- complete..
- E. coli phagemid vector pAX4c+ complete..



- E. coli phagemid vector pAX5+ complete..
- E. coli phagemid vector pBacPAK1 complete..
- E. coli phagemid vector pBacPAK8 complete...
- E. coli phagemid vector pBacPAK9 complete..
- E. coli phagemid vector pBC KS(-) complete..
- E. coli phagemid vector pBC KS(+) complete..
- E. coli phagemid vector pBC SK(-) complete..
- E. coli phagemid vector pBC SK(+) complete...
- E. coli phagemid vector pBGS9- complete..
- E. coli phagemid vector pBGS9+ complete..
- Vertebrate/E.coli phagemid vector pBLCAT3.f1 complete...
- E. coli phagemid vector pBluescript II KS(-) complete..
- E. coli phagemid vector pBluescript II KS(+) complete...
- E. coli phagemid vector pBluescript II SK(-) complete...
- E. coli phagemid vector pBluescript II SK(+) complete...
- E. coli phagemid vector pBluescript KS(-) complete..
- E. coli phagemid vector pBluescript KS(+) complete..
- E. coli phagemid vector pBluescript SK(-) complete..
- E. coli phagemid vector pBluescript SK(+) complete..
- E. coli phagemid vector pBP9 complete..
- E. coli phagemid vector pBS complete..
- E. coli phagemid vector BlueScribe KS- complete..
- E. coli phagemid vector BlueScribe KS+ complete..



- E. coli phagemid vector pBSM13+ or BlueScribe M13+ complete..
- E. coli phagemid vector pBS+ complete..
- E. coli phagemid vector BlueScribe SK- complete...
- E. coli phagemid vector BlueScribe SK+ complete..
- E. coli phagemid vector pBTac1 complete..
- E. coli phagemid vector pBT2 complete...
- E. coli phagemid vector pCDM8 complete..
- E. coli phagemid vector pcDNA3 complete..
- E. coli phagemid vector pcDNAI complete..
- E. coli phagemid vector pcDNAIAmp complete...
- E. coli phagemid vector pcDNAII complete..
- E. coli phagemid vector pcDNAINeo complete..
- E. coli phagemid vector pCF20 complete..
- Cloning vector pCI, mammalian expression vector, complete sequence.
- Cloning vector pCI-neo, mammalian expression vector, complete sequence.
- E. coli phagemid vector pCR1000 complete..
- E. coli phagemid vector pCRII complete..
- E. coli phagemid vector pD4 complete..
- E. coli phagemid vector pDW227 complete..
- E. coli phagemid vector pDW229 complete..
- E. coli phagemid vector pDW232 complete..
- E. coli phagemid vector pEMBL18-Not (Sma-) complete..






- Saccharomyces/E.coli phagemid vector pEMBLYe23 complete...
- Saccharomyces/E.coli phagemid vector pEMBLYe24 complete..
- Saccharomyces/E.coli phagemid vector pEMBLYi21 complete...
- Saccharomyces/E.coli phagemid vector pEMBLYi22 complete...
- Saccharomyces/E.coli phagemid vector pEMBLYi32 complete...
- Saccharomyces/E.coli phagemid vector pEMBLYr25 complete...
- E. coli phagemid vector pEX1 complete...
- E. coli phagemid vector pEX2 complete...
- E. coli phagemid vector pEX3 complete...
- E. coli phagemid vector pExCell complete...
- E. coli phagemid vector pEZZ18 complete...
- Saccharomyces/E.coli phagemid vector pFL59- complete..
 - Saccharomyces/E.coli phagemid vector pFL59+ complete...
 - Saccharomyces/E.coli phagemid vector pFL64- complete...
 - Saccharomyces/E.coli phagemid vector pFL64+ complete..
- E. coli phagemid vector pGEM-1 complete...

C.

- E. coli phagemid vector pGEM-11Zf- complete..
- E. coli phagemid vector pGEM-11Zf+ complete...
- F. coli phagemid vector pGEM-13Zf+ complete...
- E. coli phagemid vector pGEM-2 complete...
- E. coli phagemid vector pGEM-3 complete..
- F. coli phagemid vector pGEM-3Zf- complete...
- E. coli phagemid vector pGEM-3Zf+ complete...
- E. coli phagemid vector pGEM-4 complete...




- E. coli phagemid vector pGEM-9Zf- complete..
- E. coli phagemid vector pGEM-luc complete..
- E. coli phagemid vector pGEM-T complete..
- Broad host range/E.coli plasmid vector pGhost4 complete..
- Broad host range/E.coli plasmid vector pGhost5 complete..
- Broad host range/E.coli plasmid vector pGhost6 complete..
- E. coli phagemid vector pGL2-Basic complete..
- E. coli phagemid vector pGL2-Enhancer complete..
- Cloning vector pGL3-Basic, luciferase gene, promoter analysis.
- Cloning vector pGL3-Control, luciferase gene, promoter analysis.
 - Cloning vector pGL3-Enhancer, luciferase gene, promoter analysis.
 - Cloning vector pGL3-Promoter, luciferase gene, promoter analysis.
 - E. coli phagemid vector pGUSN358-S complete...
 - E. coli phagemid vector PhageScript SK complete..
 - E. coli phagemid vector pHph0 complete...
 - E. coli phagemid vector pHph-1 complete..
 - E. coli phagemid vector pHph+1 complete..
 - E. coli phagemid vector pICEM19H- complete...
 - E. coli phagemid vector pICEM19H+ complete...
 - E. coli phagemid vector pICEM19R- complete..
 - E. coli phagemid vector pICEM19R+ complete...



- Vertebrate/E.coli phagemid vector pJFCAT1 complete...
- E. coli phagemid vector pKK161-8 complete..
- E. coli phagemid vector pko complete..
- E. coli phagemid vector pKO-neo complete...
- E. coli phagemid vector pKSM710 complete...
- E. coli phagemid vector pKSM711 complete...
- E. coli phagemid vector pKSM713 complete..
- E. coli phagemid vector pKSM715 complete...
- E. coli phagemid vector pKUN9 complete..
- E. coli phagemid vector pKUN9 complete..
- O E. coli phagemid vector pLH1 - complete...
- En al Col " En E. coli plasmid vector pMAL-c [tm] - complete..
 - E. coli plasmid vector pMAL-c2 [tm] complete...
 - E. coli plasmid vector pMAL-cRI [tm] complete..
 - E. coli plasmid vector pMAL-p [tm] complete...
- E. coli plasmid vector pMAL-p2 [tm] - complete..
 - E. coli phagemid vector pMEX5 complete..
 - E. coli phagemid vector pMEX6 complete..
 - E. coli phagemid vector pMEX7 complete..
 - E. coli phagemid vector pNEB193 complete..
 - E. coli phagemid vector pON163 complete..
 - E. coli phagemid vector pPL-lambda complete...
 - E. coli phagemid vector pRcCMV complete..
 - E. coli phagemid vector pRcRSV complete..





- Cloning vector pSI, mammalian expression vector, complete sequence.
- E. coli phagemid vector pSK222 complete..
- **€** E. coli phagemid vector pSK241 complete..
- E. coli phagemid vector pSL1180 complete...
- E. coli phagemid vector pSL1190 complete...
- E. coli phagemid vector pSL301 complete...
- E. coli phagemid vector pSP18 complete..
- E. coli phagemid vector pSP19 complete...
- E. coli phagemid vector pSP64 complete..
- E. coli phagemid vector pSP64-f1- complete..
- E. coli phagemid vector pSP64-f1+ complete...
- E. coli phagemid vector pSP64 polyA complete..
- E. coli phagemid vector pSP65-f1+ complete...
- E. coli phagemid vector pSP6-T3 complete..
- E. coli phagemid vector pSP6-T7-19 complete..
- E. coli phagemid vector pSP70 complete..
- E. coli phagemid vector pSP71 complete...
- E. coli phagemid vector pSP72 complete...
- E. coli phagemid vector pSP73 complete..
- E. coli phagemid vector pSPORT1 complete..
- E. coli phagemid vector pSPORT2 complete...
- E. coli phagemid vector pSPT18 complete...



- E. coli phagemid vector pSPT19 complete..
- **●** E. coli phagemid vector pSPTbm20 complete...
- E. coli phagemid vector pSPTbm21 complete..
- E. coli phagemid vector pSS24 complete..
- E. coli phagemid vector pSS25 complete..
- E. coli phagemid vector pSVK3 complete..
- E. coli phagemid vector pSV-SPORT1 complete...
- **●** E. coli phagemid vector pT3T7BM complete...
- E. coli phagemid vector pT3T7-lac complete...
- **€** E. coli phagemid vector pT3T7-luc complete..
- E. coli phagemid vector pT7-0 complete..
- E. coli phagemid vector pT7-1 complete..
- **G** E. coli phagemid vector pT7-2 complete..
- E. coli phagemid vector pT7SP6 complete..
- E. coli phagemid vector pT7T3-18 complete..
- E. coli phagemid vector pT7T3-18D complete..
- E. coli phagemid vector pT7T3-18U complete...
- E. coli phagemid vector pT7T3-19 complete...
- E. coli phagemid vector pT7T3-19U complete...
- E. coli phagemid vector pT7T3alpha-18 complete..
- E. coli phagemid vector pT7T3alpha-19 complete..
- Vertebrate/E.coli phagemid vector pTF1 complete..
- E. coli phagemid vector pTRXN- complete..
- E. coli phagemid vector pTRXN+ complete..



- E. coli phagemid vector pTZ18R complete..
- E. coli phagemid vector pTZ18U complete..
- E. coli phagemid vector pTZ19R complete...
- E. coli phagemid vector pTZ19U complete...
- E. coli phagemid vector pTZSV28 complete..
- E. coli phagemid vector pUC118 complete..
- E. coli phagemid vector pUC119 complete..
- E. coli phagemid vector pUC12 complete..
- E. coli phagemid vector pUC12c complete..
- E. coli phagemid vector pUC13 complete...
- E. coli phagemid vector pUC13c complete..
- E. coli phagemid vector pUC18 complete...
- E. coli phagemid vector pUC18c complete..
- Photinus pyralis pUC18-luciferase complete..
- E. coli phagemid vector pUC19 complete...
- E. coli phagemid vector pUC1918 complete...
- E. coli phagemid vector pUC19c complete..
- E. coli phagemid vector pUC3 complete...
- E. coli phagemid vector pUC4 complete...
- E. coli phagemid vector pUC5 complete..
- E. coli phagemid vector pUC7 complete...
- E. coli phagemid vector pUC7c complete...
- E. coli phagemid vector pUC8 complete...
- E. coli phagemid vector pUC8-1 complete...



- E. coli phagemid vector pUC8-2 complete..
- E. coli phagemid vector pUC830 complete..
- E. coli phagemid vector pUC8c complete..
- E. coli phagemid vector pUC9 complete..
- E. coli phagemid vector pUC9-1 complete..
- E. coli phagemid vector pUC9-2 complete...
- E. coli phagemid vector pUC9c complete...
- E. coli phagemid vector pUC9tet complete...
- E. coli phagemid vector pUCbm20 or pUCPZ2 complete...
- E. coli phagemid vector pUCbm21 complete..
- E. coli phagemid vector pUCGM incomplete..
- E. coli phagemid vector pUCP18 complete...
- E. coli phagemid vector pUCP20 complete..
- E. coli phagemid vector pUCP22 complete...
- E. coli phagemid vector pUCP24 complete..
- E. coli phagemid vector pUCP26 complete..
- E. coli phagemid vector pUR1 complete...
- E. coli plasmid vector pWM521 complete..
- Vertebrate/E.coli phagemid vector pXPRS- or pcDpolyB- complete...
- Vertebrate/E.coli phagemid vector pXPRS+ or pcDpolyB+ complete...
- E. coli phagemid vector pYES2 complete...
- E. coli phagemid vector pYESHisA complete...
- E. coli phagemid vector pYESHisB complete..
- E. coli phagemid vector pYESHisC complete..

THE CHARLES THE THE

Saccharomyces/E.coli phagemid vector pEMBLYe30 - incomplete...


Saccharomyces/E.coli phagemid vector pEMBLYe31 - incomplete..

Saccharomyces/E.coli phagemid vector pEMBLYi27 - incomplete...


E. coli phagemid pHisGal - incomplete..

Saccharomyces/E.coli phagemid vector pJA50 - incomplete..





- Saccharomyces/E.coli phagemid vector pJA52 incomplete...
- Saccharomyces/E.coli phagemid vector pJA53 incomplete...
- Streptomyces/E.coli phagemid vector pKC1064 incomplete...
- Vertebrate/E.coli phagemid vector pLUC incomplete..
- Vertebrate/E.coli phagemid vector pLUCS incomplete..
- E. coli phagemid vector pMA200U incomplete...
- Insect/E. coli phagemid vector pMbac incomplete..
- E. coli phagemid vector pMGU incomplete...
- Mammal/E. coli phagemid vector pOG44 incomplete..
- Mammal/E. coli phagemid vector pOG45 incomplete...
- E. coli plasmid vector pOK12 incomplete, MCS...
- Mammal/E. coli phagemid vector pOPI3 CAT incomplete..
- Mammal/E. coli phagemid vector pOPRSVI CAT complete..
- Insect/E. coli phagemid vector pPbac incomplete...
- E. coli phagemid vector pRIT17 incomplete...
- Saccharomyces/E.coli phagemid vector pRS166 incomplete...
- Saccharomyces/E.coli phagemid vector pRS167 incomplete..
- Saccharomyces/E.coli phagemid vector pRS169 incomplete..
- Saccharomyces/E.coli phagemid vector pRS173 incomplete..
- Saccharomyces/E.coli phagemid vector pRS202 incomplete...
- Saccharomyces/E.coli phagemid vector pRS317 incomplete...
- Saccharomyces/E.coli phagemid vector pRS318 incomplete..
- Vertebrate/E.coli phagemid vector pRSVADH incomplete...



- E. coli phagemid vector pT7-7 incomplete..
- E. coli phagemid vector pT7-7A incomplete..
- E. coli phagemid vector pT7-SCA incomplete...
- E. coli phagemid vector pT7-SCII incomplete...
- Vertebrate/E.coli phagemid vector pTAG-1 incomplete...
- Vertebrate/E.coli phagemid vector pTAG4 incomplete...
- E. coli plasmid vector pUC21 incomplete, MCS..
- E. coli plasmid vector pUC6S incomplete, MCS..
- E. coli plasmid vector pUK21 incomplete, MCS..
- Saccharomyces/E.coli phagemid vector pUN30 incomplete..
- Saccharomyces/E.coli phagemid vector pUN70 incomplete...
- E. coli phagemid vector pZL1 incomplete..






Phasmid Vectors


- E. coli phasmid vector pEMBL18- complete.
- E. coli phasmid vector pEMBL18+ complete.
- E. coli phasmid vector pEMBL19- complete.
- E. coli phasmid vector pEMBL19+ complete.
- E. coli phasmid vector pEMBL8- complete.
- E. coli phasmid vector pEMBL8+ complete.
- E. coli phasmid vector pEMBL9- complete.
- E. coli phasmid vector pEMBL9+ complete.
- E. coli plasmid vector lambda SK incomplete.









- **©** E. coli cosmid vector Lorist2 complete.
- E. coli cosmid vector LoristB complete.
- **&** E. coli cosmid vector LoristE6 complete.
- E. coli cosmid vector MUA-3 complete.
- E. coli cosmid vector pAA113M complete.
- E. coli cosmid vector pDO184 complete.
- **6** E. coli cosmid vector pDO19 complete.
- E. coli cosmid vector pDO2 complete.
- **€** E. coli cosmid vector pDO6 complete.
- Actinomycetes/E.coli cosmid vector pFD666 complete.
- E. coli cosmid vector pHC79 complete.
- E. coli cosmid vector pIB8 complete.
- E. coli plasmid vector pTL1 complete.
- E. coli plasmid vector pTL3 complete.
- E. coli plasmid vector pTL4 complete.
- **©** E. coli plasmid vector pTL5 complete.
- **6** E. coli cosmid vector pV34 complete.
- Vertebrate/E.coli cosmid vector pWE15 complete.
- E. coli cosmid vector pWE15A complete.
- **6** E. coli cosmid vector sCos-1 complete.
- Vertebrate/E.coli cosmid vector cos202 incomplete.







Virus Vectors




Yeast Artificial Chromosome Vectors



- Saccharomyces/E.coli YAC vector pYAC2 complete.
- Saccharomyces/E.coli YAC vector pYAC3 complete.
- Saccharomyces/E.coli YAC vector pYAC4 complete.
- Saccharomyces/E.coli YAC vector pYAC5 complete.
- Saccharomyces/E.coli YAC vector pYAC55 complete.
- Saccharomyces YAC vector pYACneo complete.
- Saccharomyces/E.coli YAC vector pYAC-RC complete.
- Saccharomyces/vertebrate/E.coli YAC vector pCGS966 incomplete.









- E. coli phage vector lambda EMBL3 right arm complete.
- Bacteriophage f1 complete.
- Bacteriophage fd complete.
- E. coli phage vector fd strain 478 complete.
- **E.** coli phage vector fd-tet complete.
- E. coli phage vector fd fKN 16 complete.
- E. coli phage vector fl IR1 complete.
- E. coli phage vector lambda (Styloviridae) complete.
- E. coli phage vector M13 complete.

- E. coli phage vector M13BM20 complete.
- E. coli phage vector M13BM21 complete.
- E. coli phage vector M13LH1 complete, MCS.
- E. coli phage vector M13mc18 complete.
- E. coli phage vector M13mIC7 complete.
- E. coli phage vector M13mp1 complete.
- E. coli phage vector M13mp10 complete.
- E. coli phage vector M13mp11 complete.
- E. coli phage vector M13mp18 complete.
- E. coli phage vector M13mp19 complete.
- E. coli phage vector M13mp2 complete.
- E. coli phage vector M13mp7 complete.




- E. coli phage vector M13mp9 complete.
- E. coli phage vector M13plex00 complete, beta-galactosidase.
- E. coli phage vector M13plex01 complete, beta-galactosidase.
- E. coli phage vector M13plex05 complete beta-galactosidase.
- E. coli phage vector M13plex06 complete, beta-galactosidase.
- E. coli phage vector M13plex07 complete, beta-galactosidase.
- E. coli phage vector M13plex10 complete, beta-galactosidase.
- E. coli phage vector M13plex13 complete, beta-galactosidase.
- E. coli phage vector M13plex17 complete, beta-galactosidase.
- E. coli phage vector M13plex18 complete, beta-galactosidase.
- E. coli phage vector M13plex19 complete, beta-galactosidase.
- E. coli phage vector M13plex20 complete, beta-galactosidase.
- E. coli phage vector M13tg130 complete.
- E. coli phage vector M13tg131 complete.
- E. coli phage vector M13WB23 complete.
- E. coli phage vector M13WB2341 complete.
- E. coli phage vector M13WB2342 complete.
- E. coli phage vector M13WB2344 or M13WB2348 complete.
- E. coli phage vector M13 PhageScript complete.
- E. coli plasmid vector pPop6 [tm] complete.
- E. coli phage vector fl R199 complete.
- E. coli phage vector f1 R208 complete.
- E. coli phage vector f1 R229 complete.




E. coli phage vector lambda gt102 - incomplete.

E. coli phage vector lambda gt10 - incomplete, near cloning site.





- E. coli phage vector lambda gt11D incomplete.
- E. coli phage vector lambda gt11 SciI/NotI incomplete.
- E. coli phage vector lambda gt22A incomplete.
- E. coli phage vector lambda gtWES.lambdaB incomplete.
- E. coli phage vector lambda gtWES.lambda B' incomplete.
- E. coli phage vector lambda gtWES.T5-622 incomplete.
- E. coli phage vector lambda MAX1 incomplete.
- E. coli phage vector lambda MGU1 incomplete.
- E. coli phage vector lambda MGU2 incomplete, cloning sites/loxP sit.
- E. coli phage vector lambda N- cI857 r32 incomplete.
- Vertebrate/E.coli phage vector lambda NMT incomplete.
- E. coli phage vector lambda plac Mu1 incomplete.
- E. coli phage vector lambda placMu3 incomplete.
- E. coli phage vector lambda pMu507 incomplete.
- E. coli phage vector lambda pMu507.3 incomplete.
- E. coli phage vector lambda Pop10 incomplete.
- E. coli phage vector lambda Pop6 incomplete.
- E. coli phage vector lambda SE4 incomplete.
- E. coli phage vector lambda SE5 incomplete.
- E. coli phage vector lambda SE6 incomplete.
- E. coli phage lambdaSK17 incomplete.
- E. coli phage lambdaSK20 incomplete.
- E. coli phage lambdaSK22 incomplete.



Streptomyces phage vector TG1 - incomplete.



Streptomyces phage vector TG2 - incomplete.







VectorDB contains annotations and sequence information for many vectors commonly used in molecular biology. Information for more than 2600 vectors is available with search facilities. Vectors which are also in GenBank have direct links to that database via NCBI's Entrez browser!

The Vectors



- Phage Vectors
- Plasmid Vectors
- Phagemid Vectors
- Phasmid Vectors
- Cosmid Vectors
- Virus Vectors
- YAC Vectors

Vector Spotlight

Organism Subsets

Vectors for Drosophila

Vectors for *C. elegans*Vectors for Yeast



Advertise your vector here!

Search Vector db

Search VectorDB

Other Things



- Other Vector Resources
- Contribute a Vector

Access statistics (updated hourly) indicate



users since September 1, 1995.

Stay tuned for more vectors and vector descriptions!! Your comments are appreciated. Email <u>miseners@Biology.QueensU.CA</u>

Stephen Misener

Biotech Companies Online with VectorDB



VectorDB was last updated: August 10, 1996.